

TRUXTA^{4x4}



The Future of
Powered and Mini Dumpers



BENDie 300

BENDie 450

BENDie powered mini dumper

Tufftruk Limited introduce a range of TRUXTA powered mini dumpers that provide maximum versatility and light touch operation, available with battery power, petrol or diesel.

The new BENDie 4x4 mini dumper provides access even in the tightest corners. At just 730mm (850mm) wide the TRUXTA 4x4 is really compact and gets into places other units can't.

A BENDie mini dumper's articulated chassis means the TRUXTA handles corners with the minimum effort - just steer around bends and corners - no need to lift or reposition.

With a massive skip capacity 300kg or 450kg the TRUXTA BENDie mini dumper offers excellent load capacity in and around sites and gardens.

The well balanced robust unit fits through typical doorways (2ft 6" TB300 or 3ft TB450). Easily transportable from site to site, and compact enough to store.

300 BENDie - 300kg payload, articulated
450 BENDie - 450kg payload. articulated



TRUXTA well balanced for ease of use

In Operation -The key factor is that operators don't have to rely on physical strength or brute force with the BENDie's easy steer handling.

The **squeeze & go** controls (no mechanical gearboxes) make for the easiest use for any operator, weak or strong. A fail-safe dead-man braking system keeps the operator safe at all times.

Even when tipping the 2 stage self- tip provides optimum balance even with a full load.

TRUXTA Attachments

TRUXTA has easy fit attachments for a variety of applications. The new TRUXTA Flatbed, folds down and tips up. The towball attachment offers different positions for different sizes of trailer.





- It's the **patented 'steering pivot drive system'** that provides ultimate manoeuvrability in a compact size. Combine this with a massive 300kg or 450kg skip capacity and flotation tyres fitted as standard.
- Robust heavy duty construction and a **well balanced skip** means the TRUXTA is built for all sorts of materials and tough terrains.
- **The fail-safe dead-man brake system** and intuitive hydrostatic controls gives the TRUXTA operator the safest possible operation.
- **Easy access** to the fuel filler cap and daily check areas for servicing.
- Uniquely available as a **battery powered option** operators get a quiet environmentally friendly option for the garden or domestic application.

TRUXTA 4x4



TRUXTA Hydrostatic Controls

With the TRUXTA petrol and diesel you get a smooth operation with **squeeze & go** hydrostatic system.


On the electric, the twist-grip throttle control increases your speed, just **twist & go**.

TRUXTA powered wheel barrows and mini dumpers - built for durability - hydrostatic system - no slipping belts - sealed for life and maintenance free.

The TRUXTA - 2 stage self-tipping skip requires no manual lifting. The ultimate **Skip Tip Angle equals** no leftovers, just a **Totally Empty Skip**.



TRUXTA^{4x4} BENDie



All dimensions unless otherwise stated are in millimetres. Dimensions B300 BENDie (B450 BENDie)

Turning Circle

Specifications

B300 BENDie				B450 BENDie			
Model	Petrol TB 300G	Diesel TB 300D	Electric TB 300E	Model	Petrol TB 450G	Diesel TB 450D	Electric TB 450E
Engine/Motor/ Power (kW)/hp	Honda GX 160 (3.6) 4.8	Yanmar L48 (3.5) 4.7	DC Brushless Motor 800W/24v	Engine/Motor/ Power (kW)/hp	Honda GX 200 (4.1) 5.5	Yanmar L48 (3.5) 4.7	DC Brushless Motor 1000W/24v
Fuel Type	Unleaded Petrol (4 stroke)	Diesel	2 x 12v Batteries	Fuel Type	Unleaded Petrol (4 stroke)	Diesel	2 x 12v Batteries
Fuel Capacity	3.1 litres	2.5 litres		Fuel Capacity	3.1 litres	2.5 litres	
Max Payload (kg)	300kg / 7ft ³ / 0.2m ³			Max Payload (kg)	450kg / 10.6ft ³ / 0.3m ³		
Unladen Weight (kg)	170	201	224	Unladen Weight (kg)	180	219	255
Working Gradient	25°	25°	25°	Working Gradient	25°	25°	25°
Drive & Controls	Hydrostatic System		24v Motor Gearbox	Drive & Controls	Hydrostatic System		24v Motor Gearbox
Brake System	Fail-safe Dead-man Handle (International patents pending)			Brake System	Fail-safe Dead-man Handle (International patents pending)		
Standard Fitment Tyres	Flotation with option for turf tyres			Standard Fitment Tyres	Flotation with option for turf tyres		
Travel Speed Forward/Reverse	0-4 mph 0-1.5 mph		0-3.5 mph 0-1.5 mph	Travel Speed Forward/Reverse	0-4 mph 0-1.5 mph		0-3.5 mph 0-1.5 mph
Noise Level (db)	< 94	< 100	< 69	Noise Level	< 94	< 100	< 69
Hand Arm Vibration	3.6 m/s ²	3.8 m/s ²	2.5 m/s ²	Hand Arm Vibration	4.6 m/s ²	3.8 m/s ²	2.5 m/s ²

A 12 month warranty is applicable on all Tufftruk machines.

We reserve the right to change specification without prior notice.

03/2016

For more information
call us direct, or contact:

TRUXTA^{4x4}®

Manufactured in Great Britain

For sales enquiries call **T:** 01666 500123

E: truxtasales@tufftruk.co.uk www.truxta.com

Tufftruk Limited, Trading as TRUXTA
The Croft, Sheen, Nr. Buxton, Derbyshire SK17 0EU